

Bedin

Reel # 812
Zubov, I.V.

CHERNOMORDIK, Grigoriy Il'ich; ZUBOV, I.V., inzh., retsenzent;
FEL'DMAN, E.D., kand. tekhn. nauk, retsenzent; ZABELLO,
M.L., kand. tekhn.nauk, red.; BOBERTVA, Ye.N., tekhn. red.

[Increase of train speeds] Povyshenie skorostei dvizhenia
poezdov. Moskva, "Transport," 1964. 200 p.

(MIRA 17:2)

ZUBOV, I.V.

Speed increase and potentials of train sheets. Zhel.dor.transp. 45
no.9:12-16 S '63. (NIRA 16:9)

1. Glavnyy inzh. Glavnogo upravleniya dvizheniya Ministerstva put-
tay soobshcheniya.

(Railroads--Management)
(Railroads--Train speed)

ZUBOV, I.V.

New regulations of train movement and maneuvering. Zhel. dor.
transp. 46 no.7:58-61 J1 '64. (MIRA 17:8)

1. Glavnyy inzh. Glavnogo upravleniya dvizheniya Ministerstva
putey soobshcheniya.

PROKOF'YEV, Anatoliy Grigor'yevich; ZUBOV, I.V., inzh., retsenzent;
PREDE, V.Yu., inzh., red.; KHITROVA, N.A., tekhn. red.

[Uniform network marking of railroad cars] Edinaia setevaya
razmetka vagonov. Moskva, Vses. izdatel'sko-poligr. ob"edi-
nenie M-va putei soobshcheniia, 1962. 38 p. (MIRA 15:3)
(Railroads—Making up trains)
(Railroads—Management)

ZUBOV, I.V.

Uniform marking of cars on the railroads of Czechoslovakia. Zhel.
dor.transp. 43 no.4:83-85 Ap '61. (MIRA 14:3)

1. Zamestital' glavnogo inzhenera Glavnogo upravleniya dvizheniya
Ministerstva putey soobshcheniya.
(Czechoslovakia--Railroads--Cars)

BORISOV, Georgiy Nikolayevich; RUSKIN, Serafim Dmitriyevich;
ZUBOV, I.V., inzh., retsenzent; TSARENKO, A.P., inzh.,
red.; USENKO, L.A., tekhn. red.

[Accelerated handling of the flow of local cars;
experience of the Moscow-Kursk Division of the Moscow
Railroad] Uskorenniyi propusk mestnogo vagonopotoka; opyt
Moskovsko-Kurskogo otdeleniya Moskovskoi dorogi. Mo-
skva, Transzheldorizdat, 1963. 29 p. (MIRA 16:5)
(Railroads--Management)

ZUBOV, I.V.

Prospects for increasing the weight of freight trains. Zhel.
dor.transp. 42 no.7:37-39 J1 '60. (MIRA 13:7)

1. Zamestitel' glavnogo inzhenera Glavnogo upravleniya
dvizheniya Ministerstva putey soobshcheniya.
(Railroads---Train load)

ZUBOV, I.V., inzh.

Potentialities of train traffic schedules. Zhel.dor.transp. 44, no. 3:
15-19 Mr '62. (MIRA 15:3)

(Railroads--Traffic)

SPAKU, P. [Spacu, P.]; GEORGIU, K. [Gheorghiu, C.]; ZUBOV, L.

Chemistry of osmium. Rev chimie 6 no.2:323-341 '61.

1. Kafedra neorganicheskoy khimii, Universitet imeni K. I. Parkhona
[C.I.Parhon], Bukharest

ZUBOV, L.A., inzh.; BEGAN, L.I., inzh.; MIKHAYLENKO, B.Ye., inzh.

Mechanization and automation of steel proportioning in molten-metal pressing. Mashinostroenie no.6:72-73 N-D '65.

(MIRA 18:12)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R002065610001-0

Card 2/5

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R002065610001-0"

Card 3/5

L 20080-65

ACCESSION NR. AP4049119

ENCLOSURE: 03



SMIRNOV, D.N., kand. tekhn. nauk; ZUBOV, L.B., imzh.

Solving problems of indirect water hammer in a slightly
viscous liquid. Trudy Gidrav. lab. VODGEO no.10:180-196
'63. (MIRA 17:8)

L 10902-66 EWP(k)/EWT(m)/ETI/EWP(t) IJP(c) WN/JD/HW/JQ
ACC NR: AP6019060 (N) SOURCE CODE: UR/0128/86/000/002/0039/0040

AUTHOR: Zubov, L. A. (Engineer) 44

ORG: none B

TITLE: Stamping thin-walled parts from molten steel 18

SOURCE: Liteynoye pfoizvodstvo, no. 2, 1966, 39-40

TOPIC TAGS: metal stamping, metal press, molten metal 11

ABSTRACT: A stamping press used to mold thin-walled caps ($\phi=110$ mm, wall thickness 6-8 mm, cavity depth 50 mm) from molten steel was modified to permit reduction of the pouring time from 5-6 sec to 1.5-2 sec, to provide better control of the time lag between the end of pouring and the application of pressure, as well as to reduce the pressure required for proper filling and a dense structure from 14.6 to 5.8 kg(f)/mm². The design modifications are described in detail. Spring operated "cold" stops, which reduce the contact between the hot molded part and the ram sleeve, were incorporated and resulted in longer service life of the punch and its sleeve. Orig. art. has: 4 figures.

SUB CODE: 13/ SUBM DATE: 00/ ORIG REF: 004/ OTH REF: 000

Card 1/1

UDC: 621.73.043:669.14

SMIRNOV, D.N., kand.tekhn.nauk; ZUBOV, L.B., mladshiy nauchnyy sotrudnik

Theory of the hydraulic impact of a slightly viscous liquid.
Trudy Gidrav.lab.VODGEO no.8:140-154 '62. (MIRA 15:11)
(Hydrodynamics)

S/183/61/000/006/001/002
B101/R110

AUTHORS: Zelentsov, I. G., Zubov, L. N., Pikhman, V. D.

TITLE: Properties of polyvinyl chloride fibers

PERIODICAL: Khimicheskiye volokna, no. 6, 1961, 9-10

TEXT: A detailed report on the properties of polyvinyl chloride fibers manufactured in western countries is given on the basis of western publication data. In the USSR, a pilot plant will produce such fibers in the near future. There are 1 figure, 2 tables, and 12 non-Soviet references.

ASSOCIATION: VNIISV

Card 1/1

L: 27415-66 EWT(d)/EWT(m)/EWP(c)/EWP(v)/T/EWP(t)/ETI/EWP(k)/EWP(h)/EWP(l) IJP(c)
 ACC NR: AP6012321 JD/RW SOURCE CODE: UR/0301/65/000/006/0072/0073

AUTHORS: Zubov, L. Ya. (Engineer); Began, L. I. (Engineer); Mikhaylenko, B. Ye. (Engineer)

ORO: none

TITLE: Mechanization and automation of steel dosing in the liquid stamping process

SOURCE: Mashinostroyeniye, no. 6, 1965, 72-73

TOPIC TAGS: metal stamping, metal melting, metallurgic machinery, steel

ABSTRACT: A set of metal pouring devices (PZU's) was developed at the Kramatorsk Institute of NIPTmash for accurately dosing out small quantities of steel (1--10 kg) into molds. Three sizes, PZU-1.5 (0.5--1.5 kg), PZU-4 (2--4 kg), and PZU-8 (6--8 kg) were built (see Fig. 1) and used in automated casting operations in which each mold has one of the PZU's mounted on a frame. A hydraulic cylinder empties the PZU into the mold, and a new charge is introduced in solid form (by weight). The crucible of the PZU was found to withstand 60-100 melting cycles, and a special metal mold was designed for forming and baking of new crucibles. The dosing accuracy of the PZU's

Card 1/2

UDC: 621.96

L 27415-66

ACC NR: AP6012321




Fig. 1. PZU-8; 1 - pouring lever; 2 - cooling water lines; 3 - induction furnace.

was found to be 0.5--2%. Orig. art. has: 3 figures.

SUB CODE: 13, 11/ SUBM DATE: none

Card 2/2

SPACU, P.; GHEORGHIU, C.; ZUBOV, L.

Chemistry of osmium. Studii cerc chim 9 no.3:493-511 '61.

1. Catedra de chimie anorganica, Universitatea "C. I. Parhon", Bucuresti.
2. Membru al Comitetului de redactie "Studii si cercetari de chimie" (for Spacu).

ZELENTSOV, I.G.; ZUBOV, L.N.; FIKHMAN, V.D.

Properties of fibers from poly(vinyl chloride), Khim.volok. no.6:
9-10 '61. (MIRA 14:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut steklyanogo
volokna.

(Textile fibers, Synthetic) (Ethylene)

ZUBOV, L.P.

Calculating moisture conditions of the soils in the virgin
lands of the central Kulunda. Pochvovedenie no. 1:59-65
Ja '64. (MIRA 17:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut gidro-
tekhniki i melioratsii imeni Kostyakova.

ZUBOV, L.P.

Change in total runoff from farm fields in prospect. Meteor. 1
gidrol. no.3:26-28 Mr '65. (MIRA 18:2)

1. Moskovskiy gidromeliorativnyy institut.

L 05687-67 EWP(k)/EWT(m)/EWP(t)/ETI IJP(c) JD/HW

ACC NR: AP6022186

SOURCE CODE: UE/0418/66/000/002/0031/0038

AUTHOR: Zubov, L. A. (Engineer); Began, L. I. (Engineer)

ORG: None

TITLE: Press forging of machine parts by using liquid 1Kh18N9T steel


SOURCE: Tekhnologiya i organizatsiya proizvodstva, no. 2, 1966, 37-38

TOPIC TAGS: machine industry, metal forging, hot forging, molten metal forging, stainless steel / 1Kh18N9T stainless steel

ABSTRACT: An improved device for press forging of liquid stainless steel is described. This device was designed by the Kramatorak Institute NIPTmash and is shown in Fig. 1. The liquid metal is poured into a special chamber (5) located under the die (3) and then squeezed through the diaphragm (4) under the pressure of the header punch (1 and 2) and the compression of the spring (6). Fig. 1 shows the initial position (a) and final position (b). By using this method of molten metal forging, various articles and machine parts of 1 to 10 kg of high mechanical and anti-corrosive properties can be produced. Orig. ar. has: 1 figure.

SUB CODE: 13/ SUBM DATE: None

Card 1/1



UDC: 621.73.034

"A new medicine to fight the diseases of the acorn." Tr. from the Russian., p 411,
(GORSKO STOPANSTVO, Vol 8, #9, Nov 1952) (Bulgaria)

SO: Monthly List of Russian Accessions, Library of Congress, _____ 1953, Uncl.

ca

PROCESSES AND PROPERTIES OF "Sol'bar"

"Sol'bar" as a method for destroying cottonplut in
sects. A. Vasil'evskii and M. Zubov. *Sov. Khim.* 1939, No. 8, 60-2; *Abbo*: 1939, No. 12,
100. The production and application of "Sol'bar" as an
insecticide prep. from a mech. mixt. of BaS and
ground S) are described. In the prep. of the "Sol'bar"
soln. BaS dissolves and S changes into the sol. state (Ba
polysulfides). "Sol'bar" is effective against various types
of mites under conditions of the central belt of U. S. S. R.
In the cotton-belt regions of Central Asia its effectiveness
according to Abbo was 75-85% for 1% soln. on the 3rd
and 6th day and 45% on the 9th day. The effectiveness of
a 0.7% soln. of "Sol'bar" was 104-73% for a period of 3-10
days. "Sol'bar" surpasses S and is equal to BaS in its
toxic properties. W. R. Hill

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

15000 11102110

<p>CA</p> <p>15</p> <p>Solbar instead of Bordeaux mixture. A. Vasil'evskii and M. Zubov. <i>Sidorovskoe</i> (U. S. S. R.) 1940, No. 5, 33-4. The percentages of apples affected with scab fungi on control apple trees and on trees treated with 1% Bordeaux liquid, 1% solbar soln. and 1.5% solbar soln. were, resp.: 17.0, 5.0, 1.2 and 0.5%. After the various treatments the percentages of affected leaves, of affected apples, of 1st-grade apples and of rejected apples were, resp.: after 1.5% solbar 10.8, —, 65.6 and 9.5; after 1.5% solbar + 0.2% $\text{Ca}(\text{AsO}_4)_2$ 6.6, 11.7, 78.8 and 5.3; after Bordeaux liquid 8.1, 32.0, 67.1 and 11.4; control apple trees 81.0, 99.5, 14.0 and 24.0. The av. wts. of the fruits were 130, 130, 116 and 87.0 g., resp. W. K. Henn</p>																																																																													
<p>ASB-35A DETALLURGICAL LITERATURE CLASSIFICATION</p>																																																																													
<table border="1"> <tr> <td>140045</td> <td>140046</td> <td>140047</td> <td>140048</td> <td>140049</td> <td>140050</td> <td>140051</td> <td>140052</td> <td>140053</td> <td>140054</td> <td>140055</td> <td>140056</td> <td>140057</td> <td>140058</td> <td>140059</td> <td>140060</td> <td>140061</td> <td>140062</td> <td>140063</td> <td>140064</td> <td>140065</td> <td>140066</td> <td>140067</td> <td>140068</td> <td>140069</td> <td>140070</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>																										140045	140046	140047	140048	140049	140050	140051	140052	140053	140054	140055	140056	140057	140058	140059	140060	140061	140062	140063	140064	140065	140066	140067	140068	140069	140070																										
140045	140046	140047	140048	140049	140050	140051	140052	140053	140054	140055	140056	140057	140058	140059	140060	140061	140062	140063	140064	140065	140066	140067	140068	140069	140070																																																				

12

CH

THE USE OF SOLBAR (AND ANABASINE SULFATE) AGAINST
APHIDS (ON CUCUMBERS). M. Zubov and A. Vasil'yevskiy
(Charkovskaya, 11, N. N. 1934-1935, No. 5, 11 U. 111)
percentages of destruction of aphids on cucumbers were:
resp.: control expts. 2.87-3.81; 0.5% solbar 39.00-41.14;
1.0% solbar 66.56-76.70; 0.5% solbar + 0.2% anabasine
sulfate 97.25; 0.5% solbar + 0.3% anabasine sulfate
98.04; 1.0% solbar + 0.2% anabasine sulfate 98.00; 1.0%
solbar + 0.3% anabasine sulfate 98.79; 0.5% green soap
+ 0.2% anabasine sulfate 99.56; 0.5% green soap + 0.3%
anabasine sulfate 100.00. Expts. were also made on the
destruction of cucumber mildew caused by *Erysiphe cichoracearum* Fr. The percentages of the nos. of affected
leaves and of the surface of the leaves were: with 1% de-
cantated solbar 2.8 and 0.20; with 1.0% suspended solbar
2.0 and 0.18; with 1.0% decanted solbar + 0.3% anaba-
sine sulfate 2.0 and 0.18. The resp. values for controls
were 53.8 and 24.1%. A combination of solbar and ana-
basine sulfate can be used with success for the simultane-
ous destruction of cucumber mildew and of aphids.
W. R. Henn

AS 6.3.1.4 METALLURGICAL LITERATURE CLASSIFICATION

ZUBOV, M.A.

Industrial specimen of the freely rotating cop holder. Izv.vys.-
ucheb.zav.; tekhn.tekst.prom. no.1:81-88 '62. (MIRA 15:3)

1. Ivanovskiy tekstil'nyy institut im. M.V.Frunze.
(Winding machines)

ZUBOV, M.A.

Reducing the retardation of normally tied knots in the
winding of twist yarn. Izv. vys. ucheb. zav.: tekhn. teks.
prom. no.3:75-79 '64. (MIRA 17:10)

1. Ivanovskiy tekstil'nyy institut imeni Frunze.

ZUBOV, M.A.

Design of the thread guide on the M - 150 reeling machines.
Izv.vys.ucheb.zav.; tekhn.tekstil.prom. no.3:84-92 '61. (MIRA 14:7)

1. Ivanovskiy tekstil'nyy institut im. M.V. Frunze.
(Reels (Textile machinery))

ZUBOV, M.A.

Designing the bobbin holder. Izv.vyz.ucheb.zav.;tekh.tekst.prom.
no.5:80-85 '60. (MIRA 13:11)

1. Ivanovskiy tekstil'nyy institut imeni M.V.Frunze.
(Winding machines)

ZUBOV, M.A.

Simplification of the process of yarn preparation for weaving.
Izv.vys.ucheb.zav.; tekhn.tekstil.prom. no.4:151 '59.
(MIRA 12:11)

1. Ivanovskiy tekstil'nyy institut.
(Weaving)

ZUBOV, M.F., starshiy nauchnyy sotrudnik

Substitute for Bordeaux mixture. Zashch. rast. ot vred. i
bol. 5 no. 8:39-40 Ag '60. (MIRA 13:12)

1. Nauchnyy institut po udobreniyam i insektofungitsidam im.
Y.V. Samoylova. (Fungicides) (Bordeaux mixture)

KALASHNIKOV, K.Ya., kand. sel'skokhoz. nauk; ERUDNAYA, A.A., kand. sel'skokhoz. nauk; ZUBOV, M.F., kand. sel'skokhoz. nauk; KOROLEV, P.A., inzh.-khimik; NIKIFOROV, A.M.

Questions and answers. Zashch. rast. ot vred. i bol. 9
no.8:34-35 '64. (MIRA 17:12)

ZUBOV, M. F.

"Sulfur Preparations on Fungicides." Cand Agr Sci, Scientific Inst of Fertilizers and Insectofungicides, Moscow, 1954. (RZhKhim, No 22, Nov 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (11)

SO: Sum. No. 521, 2 Jun 55

ZUBOV, M.F.; GOLYSHIN, N.M.

Results of testing the preparation zineb as a fungicide for
green plants. [Trudy] NIUIF no.171:117-122 '61. (MIRA 15:7)
(Fungicides) (Carbamio acid)

MEL'NIKOV, N.N.; ZUBOV, M.F.; TRUNOV, P.N.; SANIN, M.A.; FEDOSEYENKO, L.G.;
UKRAINETS, N.S.; PIVOVAROVA, T.M.

Fungicide for controlling powdery mildew fungi. Zashch. rast. ot
vred. 1 bol. 8 no.1:31 Ja '63. (MIRA 16:5)
(Fungicides) (Mildew)

ZUBOV, M.F., kand. sel'skokhoz. nauk

Tell us about the preparations novozir and ferbam. Zashch.
rast. ot vred. i bol. 7 no.10:61 0 '62. (MIRA 16:6)

1. Nauchno-issledovatel'skiy institut po udobreniyam i insekto-
fungitsidam imeni Samoylova.
(Fungicides)

ZUBOV, M.F.

Substitutes for Bordeaux mixture. Zashch. rast. ot vred.
1 bol. 7 no.9:38 S '62. (MIRA 16:8)

1. Nauchno-issledovatel'skiy institut po udobreniyam i
insektofungisidam imeni Samoylova.
(Fungicides)

ZUBOV, M.F.; SANIN, M.A.; PEDOSEYENKO, L.G.; UKRAINETZ, N.S.

Preparations of fungicidal effect. Zashch. rast. ot vred. i bol.
9 no.1:28 '64. (MIRA 17:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh
sredstv zashchity rasteniy.

GOLYSHIN, N.M., nauchnyy sotrudnik; ZUBOV, M.F., nauchnyy sotrudnik

Preparation of the captan group in controlling the gray mold of strawberries and apple scab. Zashch. rast. ot vred. i bol. 6 no.12:28 D
'61. (MIRA 16:5)

1. Nauchno-issledovatel'skiy institut udobroniya i insektofungitsidov imeni Samoylova.

ZUBOV, M.F.; FEDOSEYENKO, L.G.; SANIN, M.A.; PIVOVAROVA, T.M.; ZIL'BERMINTS, I.V., kand. biolog. nauk; FADEYEV, Yu.N., kand. sel'skokhoz. nauk; ZHURAVLEVA, L.M.; KIPIANI, A.A., aspirant; MEL'NIKOV, N.N.; BOCHAROVA, L.P.; SHVETSOVA-SHILOVSKAYA, K.D.; SHAPOVALOV, G.K.; SPIRINA, T.A.; SEDYKH, A.S.; ZINCHENKO, V.A., aspirantka

From experiments in the use of new preparations. Zashch. rast. ot vred. 1 bol. 8 no.10:24-26 0 '63. (MIRA 17:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh sredstv zashchity rasteniy (for Zubov, Fedoseyenko, Sanin, Pivovarova). 2. Gruzinskiy institut zashchity rasteniy (for Kipiani). 3. Moskovskaya ordena Lenina sel'skokhozyaystvennaya akademiya im Timiryazeva (for Zinchenko).

NIKIFOROV, A.M., agronom; ZUBOV, M.F., fitopatolog

Questions and answers. Zashch. rast. ot vred. i bol. 7
no.12:40 D '62. (MIRA 16:7)

1. Nauchno-issledovatel'skiy institut po udobreniyam i insekto-
fungitsidam imeni Ya.V. Samoylova.
(Insecticides) (Fungicides)

ZUBOV, M.F.

Dinitrothiocyanatobenzene with colloidal sulfur. Zashch. rast. ot vred.
1 bol. 7 no.8:34-35 Ag '62. (MIRA 15:12)

1. Nauchno-issledovatel'skiy institut po udobreniyam i insektofungitsidam imeni Ya.V.Samoylova.
(Apple—Diseases and pests) (Grapes—Diseases and pests) (Fungicides)

1. LEONTIEVA, YU. A.; ZUBOV, M. F.
2. USSR (600)
4. Fungicides
7. New preparation for controlling diseases of acorns. Les 1 step' 4 no. 10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

1. LEONT'YEVA, Yu. A.; ZUBOV, M. F. R.

2. USSR (600)

4. Acorns

7. New preparation for controlling diseases of acorns. Let 1 step' 4 no. 10: 1952

9. Monthly List of Russian Accessions, Library of Congress, January, 1953, Unclassified.

ZUBOV, M. F.

Zubov, M. F. and Leont'yeva, Iu. A. "New Preparation for the Control of Acorn Diseases," Les i Step', vol. 4, no. 10, 1952, pp. 23-26.
99.8 L565

SO: SIRA S. 90-53, 15 DEC 1953

ZUBOV, M. F.

"Copper-organic Preparations against *Plasmopara viticola* on Grapes,"
Zashchita Rastenii, no. 12, 1937, pp. 174-175. 421 P942

So: Sira - S1-90-53, 15 Dec. 1953

ZUBOV, M. F.

"The Simplest Method of Germination of Loose Smut of Wheat on Grains,"
Zashchita Rastenii, no. 15, 1937, pp. 91-92. 421 P942

So: Sira - Si-90-53, 15 Dec. 1953

ZUBOV, M. P.

"The Toxic Effect of Solbar as an Insecticide and Fungicide," Doklady Vsesoiuznoi Akademii Sel'skokhoziaistvennykh Nauk imeni V. I. Lenina, vol. 5, no. 2, 1940, pp. 30-35. 20 Ak1

So: Sira - S1-90-53, 15 Dec. 1953

ZUBOV, M. F.

"Copper Chloride (Substitute for Bordeaux Mixture)," Vinodelie i Vinogradarstvo
SSSR, no. 11, 1952, pp. 49-51. 95.8 V77

So: Sira - Si-90-53, 15 Dec. 1953

ZUBOV, M. F.

"Use of Organic Sulfur Compounds against White Rot of Grapes," Vinodelie i Vinogradarstvo SSSR, vol. 12, no. 4, 1952, p. 40. 95.8 V77

So: Sira - S1-90-53, 15 Dec. 1953

ZUBOV, M. F.

VASIL'YEVSKIY, A. P., and ZUBOV, M. F., "Soviet Solbar against Erysiphe cichoracearum on Cucumbers under Green House Conditions," Zashchita Rastenii, no. 19, 1939, pp. 170-173. 421 P942

SO: SIRA SL-90-53, 15 Dec. 1953

ZUEOV, M. F.

Grapes - Diseases and Pests

Utilizing organic-sulfur preparation against white rot in grapes. Vin. SSSR 12. No. 5, 1952.

Monthly List of Russian Accessions, Library of Congress, August 1952. UNCLASSIFIED.

15

CA

the toxic effect of Solbar as insecticide and fungicide.
M. P. Zubov. Doklady Vsesoyuz. Akad. Sel'sk. Khoz.
1940, No. 1, 31-3; Krasn. Zvezda, 1940, No. 6, 60; cf. C. I. 35, 5627. Solbar (a polysulfide of Ba) contains BaS and elementary S. It is applied as a spray, the soln. being made up immediately before use. Tests made with combs of the mildew fungi found on roses, cucumbers and strawberries showed that Solbar is considerably more toxic to fungi than is ground S. Under hothouse conditions against *Erysiphe cichoracearum* of cucumbers, strawberries, chrysanthemums, cineraria, roses and brown spot on tomatoes and in field expts. against *Erysiphe cichoracearum* of cucumbers, pumpkin, roses, cineraria, against brown spot of tomatoes and against mites on cucumbers, hops and citrus fruits it was very effective. W. R. Hens

ASAC-56A METALLURGICAL LITERATURE CLASSIFICATION

"Copper meritol" treatment of mildew and *Toxicaria* of grape. M. J. Gubay. *Tran. Mo. bot. garden* for *miscellaneous studies* (U. S. S. R.) No. 135, 135-141 (1955). *Khm. Referat. Zhur.* 1959, No. 10, 10-7. "Copper meritol" (a dark blue Cu-As prepn. consisting of complex As salts of Cu and Cu with admixts. of the sulfates and hydrosulfates of the same metals) is more effective than Bordeaux mixt. against mildew. Scabbing was produced by only 1 sample, which had a high content of As (22.8%). "Copper meritol" also is an effective insecticide against grape *toxicaria*. W. R. H. Hunt

W. R. McFarrell

ASME 34.5 METALLURGICAL LITERATURE CLASSIFICATION

Utilization of tar waters in agriculture. P. I. Kucherski and M. I. Zolotarev. *Sov. Plant Protection* (U. S. S. R.) 1940 / No. 1, 2, 301-1. Tar waters for treating agricultural weeds were tested in their original concn. and in dilns. of 1:1, 1:2, 1:3, 1:4, 1:5, 1:8 and 1:10. The sample contained 7.47 g. of volatile and 5.14 g. of nonvolatile phenols per l. A 40% formalin soln. in a 1:300 diln. was used as a control standard. The toxic properties of tar waters were tested on *Uredo* of *Panicum miliaceum* and wheat seeds. Tar water is more effective than is 1:300 formalin soln. The N in tar water is utilized by the soil as a nutrient for the plants and phenol as a disinfectant for the soil. W. R. Hemm

13

Tar waters from peat carbonization as fungicides for grain. M. P. Zubov. *Zh. Tsel'myuzh. Ind.* 1939, No. 12, 31. The tar waters contained phenols (g. l.), volatile matter 7.47, nonvolatile matter 5.14, org. acids 21.04, total N 2.58%. Best results were obtained by using 1 part tar water to 3 parts of water. A. A. Bochtinsk

ASH-51A METALLURGICAL LITERATURE CLASSIFICATION

FROM STORAGE	LOCATED	FILED	DATE	BY	INITIALS	REMARKS
10/1/50	10/1/50	10/1/50	10/1/50	10/1/50	10/1/50	10/1/50

CA

12

Treatment of lemon seeds to prevent molds. M. Z. Zulfanov, *Sov. Zh. Prikl. Biol.* 1938, No. 6, 130; *Amer. Phytopath. Zhr.* 1, No. 11-12, 72 B (1938). To prevent growth of *Penicillium* (green and blue mold), the following substances were investigated: hexax, Solbar, aqua Lautoceras, formalin, 40% nitrophenylsulfonic acid, and Gramosan. In wet treatment best results were obtained with 5% hexax and 5% Solbar. In dry treatment best results were obtained with Gramosan and 10% nitrophenylsulfonic acid in the amount of 5 g./kg. of the seeds. Germination of the seeds was decreased by 10-15% after the wet treatment. No decrease was observed after the dry treatment. W. R. H.

ASAC-5LA DETAILING LITERATURE CLASSIFICATION

ZUBOV, M.F.; SANIN, M.A.; FEDOSEYENKO, L.G.; UKRAINETS, N.S.; PIVOVAROVA,
T.M.; MATVIYEVSKIY, kand.biolog.nauk; ROBLAVTSEVA, S.A.

From practices in the use of poisonous chemicals. Zashch. rast.
ot vred. i bol. 8 no.11:23-24 N '63. (MIRA 17:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh
sredstv zashchity rasteniy (for all, except Matviyevskiy). 2. Mls-
yevskaya opytnaya stantsiya sadovodstva im. L.P.Simirenko, Cherkas-
skaya obl., Gorodishche (for Matviyevskiy).

NIKIFOROV, A.M., agronom po zashchite rasteniy; KALASHNIKOV, K.Ya., kand. sel'skokhoz. nauk (Pushkin, Leningradskoy obl.); ZUBOV, M.F., kand. sel'skokhoz. nauk

Questions and answers. Zashch. rast. ot vred. i bol. 9 nc. 9: 34-35
'64. (MIR. 17:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh sredstv zashchity rasteniy (for Zubov).

KIYASHKO, V., agronom; BRUDNAYA, A.A., kand.sel'khoz.nauk; ZUBOV, M.F.

Questions and answers. Zashch. rast. ot vred. i bol.

7 no.7:41-42 J1 '62.

(MIRA 15:11)

1. Sovkhoz "Agronom", Krasnodarskogo kraya (for Kiyashko).
2. Vsesoyuznyy nauchno-issledovatel'skiy institut zerna i produktov yego pererabotki (for Brudnaya).
(Plants, Protection of)

1. ZUBOV, M. F.
2. USSR (600)
4. Fungicides
7. Cupric oxychloride. Vin.SSSR 12 no 11 1952

Monthly Lists of Russian Accessions, Library of Congress, March, 1953, Unclassified.

1. ZUBOV, M. F.
2. USSR (600)
4. Cupric Oxychloride
7. Cupric oxychloride. Vin SSSR 12, no. 11, 1952.
9. Monthly List of Russian Accessions, Library of Congress, March 1953. Unclassified.

USSR/Plant Diseases. Diseases of Cultivated Plants. 0

Abs Jour: Ref Zhur-Biol., No 5, 1958, 20695.

Author : Zubov, M.F.

Inst :

Title : DARTHROSIS in Potatoes.

Orig Pub: Zashchita rast. ot vredit. i bolezney, 1957,
No 4, 55.

Abstract: No abstract.

Card : 1/1

ZUBOV, M.F.

Copper oxychloride as a fungicide for green plants. [Trudy] NIUIF
no.167:146-150 '60. (MIRA-13:8)
(Copper chlorides) (Fungicides)

KRUTITSKAYA, M.N., ORLOV, V.I., IVANOVA, B.S., ANDREYEVA, Ye.I.,
GOLYSHIN, N.M., ZUBOV, M.P.

Investigation of zinc subchromates as new fungicides for the
treatment of green plants and seeds. [Trudy] NIUIF no.167:173-185
'60. (MIRA 13:8)

(Zinc chromates)

(Fungicides)

GOLYSHIN, N.M., ZUBOV, M.F., KHUTITSKAYA, M.N., ORLOV, V.I.

Comparative fungicidal activity of some basic copper and zinc salts.

[Trudy] NIUIF no.167:186-192 '60.

(MIRA 13:8)

(Copper salts) (Zinc salts) (Fungicides)

MEL'NIKOV, N.N.; SOKOLOVA, Ye.M.; SKALOZUBOVA, A.V.; TRUNOV, P.P.; ZUBOV,
M.F.; GOLYSHIN, N.M.

Investigation of new copper-free fungicides for green plants
and new mercury-free seed disinfectants. [Trudy] NIUIF no.164:
16-20 '59. (MIRA 15:5)
(Fungicides) (Seeds--Disinfection)

MOROZOVA, M.A.; KOL'TSOV, N.S.; TRUSHKINA, N.I.; ZUBOV, M.F.; GOLYSHIN, N.M.

Copper-containing fungicides for green plants. [Trudy] NIUIF
no.164:38-40 '59. (MIRA 15:5)

(Fungicides) (Copper compounds)

SKALOV, Konstantin Yur'yevich, kand. tekhn. nauk, red.; ZUBKOV,
Mikhail Nikolayevich, inzh.; KRAVCHENKO, Vladimir
Silyayevich, kand. tekhn. nauk; NIKITINA, Vera Nikolayevna,
inzh.; PERSIANOV, Vladimir Aleksandrovich, kand. tekhn.
nauk; DLUGACH, B.A., red.

[Port junctions and terminals; their layout and operation]
Portovye uzly i stantsii; ustroistvo i ekspluatatsiya.
Moskva, Transport, 1965. 197 p. (MIRA 18:4)

ZUBOV, M.F. (Moskva)

Zineb, an effective fungicide. Zashch. rast. ot vred. i bol.

3 no.5:31 B-0 '58.

(MIRA 11:10)

(Carbamic acid)

(Fungicides)

Zubov MP

ZUBOV, M.P.

All-Union Patent and Technical Library. Izobr. SSSR 3 no.1:41-42
Ja '58. (MIRA 11:1)

(Moscow--Technical libraries)

S/080/62/035/004/008/022
D202/D301

5.1310

AUTHORS:

Kudryatsev, N. T., Kruglikov, S. A., Vcrob'yeva, G. F.
and Zubov, M. S.

TITLE:

A study of the smoothing effect of some nitrogen con-
taining heterocyclic compounds

PERIODICAL: Zhurnal prikladnoy khimii, v. 35, no. 4, 1962, 777-781

TEXT: The authors tested quinoline, methyl-quinolinium iodide, quinaldine and acriflavin as smoothing agents in nickel electroplating and worked out optimal conditions for their use. In their opinion only quinaldine may be of practical use, because quinoline and its methiodide have comparatively small smoothing effects and give brittle deposits. Acriflavin produces a favorable effect but only in a very narrow concentration range, which makes it unsuitable for practical purposes. An addition of saccharin to electrolytes containing quinoline or its derivative gives a less brittle plate, but markedly lessens the smoothing effect of these compounds. Experimental details and the obtained results are given. There are

Card 1/2

KUDRYAVTSEV, N.T.; KRUGLIKOV, S.S.; COROB'YEVA, G.F.; ZUBOV, M.S.

Surface-leveling action of some nitrogen-containing heterocyclic compounds. Zhur.prikl.khim. 35 no.4:777-781 Ap '62.

(MIRA 15:4)

(Heterocyclic compounds)

(Electroplating)

ZUBOV, N., inzhener-metodist

Methodological help for enterprises. Prof.-tekh. obr. 17 no. 12:12-
12 D '60. (MIRA 13:12)

1. Tsentral'nyy uchebno-metodicheskiy kabinet Gosudarstvennogo
komiteta Soveta Ministrov SSSR po professional'no-tekhnicheskomu
obrazovaniyu.

(Vocational education)

ZUBOV, N., starshiy inzh.-metodist

Control over the industrial training of new workers. Prof.-
tekh. obr. 18 no.5:29-30 My '61. (MIRA 14:8)

1. Tsentral'nyy uchebno-metodicheskiy kabinet.
(Chelyabinsk--School supervision)

ZUBOV, N.

Collective Farms

Advantages of the enlarged collective farm in operation. Kolkh. proizv., 12, No. 8, 1952.

9. Monthly List of Russian Accessions, Library of Congress, November 1952 ~~1951~~, Uncl.

ZUBOV, N., predsedatel'.

Realization of critical observations of a trade-union activist group.
Prof.soiuzy 8 no.7:33-38 JI '53.

(KIRA 6:6)

1. Kalininskiy oblastnyy sovet profsoyuzov.

(Trade-unions)

[Be vigilant anywhere and under any circumstance] Byt' bditel'nyy
na liubom uchastke i vo vsiakoi obstanovke. 2. dop. izd. Moskva,
Gospolitizdat, 1954. 142 p.
(Russia--Defenses)
(MLRA 7:12)

ZUBOV, N.A., kand. med. nauk (Tyumen', ul. Respubliki, 135, kv.46)

Surgery on the liver in opisthorchosis. Vost. khir. 92.no.4:
137-140 Ap '64 (MIRA 18:1)

1. Iz parazitologicheskoy laboratorii (rav. - L.K. Zarchaninov)
filiala Omskogo nauchno-issledovatel'skogo instituta prirod-
noochagovykh infektsiy (ispolnyayushchiy ob'yazannosti direk-
tora V.N. Shpil'ko) v Tyumeni i Tyumenskoy oblasti bol'-
nitsy (glavnyy vrach - A.I. Molodtsov).

ZUBOV, N.A.

The KZh-20 drum-type milling machine. Biol.tekh.-ekon.inform.
no.2:18-20 '60. (MIRA 13:6)
(Milling machines)

ZINOV'YEV, A. S., kand. med. nauk; ZUBOV, N. A.

Two cases of primary cancer of the liver in children. *Pediatrics*
no.11:65-67 '61. (MIRA 14:12)

1. Iz patologoanatomicheskogo otdeleniya (nav. A. N. Zakharova)
Tyumenskoy oblastnoy bol'nitsy (glavnyy vrach A. A. Moiseyenko)

(LIVER--CANCER) (CHILDREN--DISEASES)

ZINOV'YEV, A.S., kand.med.nauk; ZUBOV, N.A.

Pathological anatomy of so-called idiopathic myocarditis.
Vrach. delo no.2:133-134 F '62. (MIRA 15:3)

1. Patologoanatomicheskoye otdeleniye (zav. - A.N. Zakharova)
Tyumenskoy oblastnoy bol'nitsy.
(HEART--MUSCLE--DISEASES)

ZUBOV, N.A.

Pathomorphology of the liver and pancreas in cats with
opisthorchiasis treated with hexachlorparaxylene. Med. paraz.
i paraz. bol. 34 no.2:164-169 Mr-Apr '65. (MIRA 18:11)

1. Parazitologicheskaya laboratoriya filiala Omskogo nauchno-
issledovatel'skogo instituta prirodnooohagovykh infektsiy,
Tyumen', i Klinicheskiy otdel Instituta meditsinskoy parazitolo-
gii i tropicheskoy meditsiny imeni Ye.I. Martynovskogo
Ministerstva zdoravookhraneniya SSSR, Moskva.

ZUBOV, N.G.

Category : USSR/Solid State Physics - Phase Transformation in Solid Bodies

E-5

Abs Jour : Ref Zhur - Fizika, No 2, 1957 No 3800

Author : Zubov, N.G.

Inst : Moscow State University, USSR

Title : Simple Method for Observing the Phase Transition in Single Crystals of Quartz.

Orig Pub : Kristallografiya. 1956, 1, No 2, 243-245

Abstract : The method proposed is based on the rapid temperature variation of the indices of refraction of α and β quartz in the immediate vicinity of the phase-transition point. A specimen of quartz in the form of a cube, with linear dimensions of 20 -- 25 mm, was placed in a cylindrical vacuum oven and was exposed to a beam of rays parallel to the axis of the oven. A shadow image of the specimen was obtained on the screen. The oven produced small temperature gradients (approximately 0.1-0.20/cm) in the transverse cross section, making it possible to obtain phase-transition fronts that are parallel to the light rays. When a center of the new phase was formed, large gradients of the index of refraction occurred in its vicinity, and consequently the screen displayed a distortion of the

Card : 1/2

Category : USSR/Solid State Physics - Phase Transformation in Solid Bodies

E-5

Abs Jour : Ref Zhur - Fizika, No 2, 1957 No 3800

contours of the shadow of the specimen and a dark region was formed near the center of the new phase. Parts of the front of the phase transformation, parallel to the beam of the rays, were observed on the screen in the form of bright lines. Using this method, the author investigated phase transformations in a free crystal of quartz and in a crystal, located in a dc and in a high-frequency electric field. The method described makes it also possible to determine the character of the variation of the temperature field in the specimen during the time of the phase transition and can be used to obtain a more accurate value of the temperature of the phase transition.

Card : 2/2

ZUBOV, H.G., general-mayor.

~~XXXXXXXXXXXX~~

Elections of the Don Cossack Hetman. Don.atam.vest. 1 no.1:6 My '52.
(Cossacks) (MLRA 7:12)

ZUBOK, N.G., inzh.; RABINOVICH, F.P., inzh.

The AB-120 automatic two-stroke cold-upsetting machine with
a one-piece die. Mashinostroenie no.1:36-37 Ja-F '62. (MIRA 15:2)

1. Odesskiy zavod im. XVI parts"yezda.
(Forging machinery)

ZUBOV, N.M.; POPOV, S.S., redaktor; TROFIMOV, A.V., tekhnicheskii redaktor.

[New machinery for mechanization of laying pipelines] Novye mashiny
dlya mekhanizatsii truboprovodnykh rabot. Moskva, Gos. nauchno-
tekhn.izd-vo neftianoi i gorno-toplivnoi lit-ry, 1950. 53 p.
(Pipelines)

(MIRA 8:4)

DIMER, A.I.; ZUBOV, N.M.; KLIMOVSKIY, Ye.M.

Investigating the operation and use of DZK separators. Stroi. truboprov.
9 no.10:9-12 0 '64. (MIRA 18:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut po stroitel'stvu
Magistral'nykh truboprovodov.

Card 2/2

ZUBOV, N.M.

New natural-gasoline plants, Stroi. truboprov, 10 no.2, 18-19
F '65. (MIRA 18:5)

ZUBOV, N.M., inzh.

Prepare for the winter season ahead of time. Stroi. truboprov.
5 no.8:3-4 Ag '60. (MIRA 13:9)
(Pipelines--Cold weather conditions)

ZUBOV, N.M., inzh.

Further improvements in pipeline construction. Stroi.truboprov.
4 no.1:5-7 Ja '59. (MIRA 12:1)
(Pipelines)

ZUBOV, N.M., arkhitektor

Shop arrangement in the heavy machinery industry during
construction stages. Sbor. trud. NII po stroi. ASIA [Sverd.]
no.8:64-80 '63. (MIRA 16:10)

GOLOVKIN, N.A.; ZUBOV, N.M.; IKONNIKOV, R.M.; TELEGIN, L.C.

Possibility of using screw anchors in laying pipelines in
Western Siberia. Stroil. truboprov. 10 no. 11:8-10 N '65.
(MIRA 18:12)

ZUBOV, N.M.

Tuas-Tunus--IAkutak--Poh--E eta pipeline. Shrod. truboprov.
8 no.11:10-14:63 (MIRA 17:7)